



| ASTE ELICOIDALI CON FIL. API | | | | | | | | | | | | | | | | | | | |
|------------------------------|-------------|----|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------------|------|------|------|--------------------|------|------|------|--------------------|
| A | L (mm) | B | FIL | D (mm) | I (mm) | C (mm) | H (mm) | E (mm) | F (mm) | G (mm) | PESO S=8 (Kg) | | | | PESO S=8,8 (Kg) | | | | CODICE |
| | | | | | | | | | | | L | | | | L | | | | |
| | | | | | | | | | | | 1000 | 1500 | 2000 | 3000 | 1000 | 1500 | 2000 | 3000 | |
| 100 | 1000 - 3000 | 60 | BWJ | 100 | 8 | 22 | 50 | 32 | 20 | 80 | 15 | 20 | 27 | 38 | | | | | AEL 100A0(_L_)BWJ |
| 120 | 1000 - 3000 | 76 | 2 3/8 AR | 125 | 8 | 30 | 65 | 40 | 20 | 95 | 20 | 28 | 36 | 50 | | | | | AEL 100B6(_L_)R238 |
| 125 | | | | 125 | 8 | | | | | | 24 | 30 | 36 | 48 | | | | | AEL 125B6(_L_)R238 |
| 140 | | | | 150 | 10 | | | | | | 30 | 35 | 40 | 54 | | | | | AEL 140B6(_L_)R238 |
| 160 | | | | 150 | 10 | | | | | | 30 | 40 | 46 | 63 | | | | | AEL 160B6(_L_)R238 |
| 180 | | | | 200 | 10 | | | | | | 30 | 40 | 49 | 67 | | | | | AEL 180B6(_L_)R238 |
| 200 | | | | 200 | 10 | | | | | | 30 | 42 | 54 | 77 | | | | | AEL 200B6(_L_)R238 |
| 220 | | | | 200 | 10 | | | | | | 30 | 48 | 61 | 84 | | | | | AEL 220B6(_L_)R238 |

ASTE ELICOIDALI CON FIL. API

| A (mm) | L (mm) | B (mm) | FIL | D (mm) | I (mm) | C (mm) | H (mm) | E (mm) | F (mm) | G (mm) | PESO St=8 (Kg) | | | | PESO St=8,8 (Kg) | | | | CODICE |
|-----------|-------------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------------------|-------------|------|-----------------------|---------------------|------|------|------|-----------------------|
| | | | | | | | | | | | L | | | | L | | | | |
| | | | | | | | | | | | 1000 | 1500 | 2000 | 3000 | 1000 | 1500 | 2000 | 3000 | |
| | | | | | | | | | | | 140 | 1000 - 3000 | 90 | 2 3/8 AR | 150 | 10 | 30 | 65 | |
| 150 | 2 3/8 AR | 150 | 10 | 33 | 43 | 52 | 70 | | | | | | | AEL 150D0(_ _ _)R238 | | | | | |
| 160 | 2 3/8 AR | 150 | 10 | 35 | 45 | 55 | 74 | | | | | | | AEL 160D0(_ _ _)R238 | | | | | |
| 180 | 2 3/8 AR | 200 | 10 | 33 | 42 | 52 | 75 | | | | | | | AEL 180D0(_ _ _)R238 | | | | | |
| 200 | 2 3/8 AR | 200 | 10 | 35 | 45 | 64 | 82 | | | | | | | AEL 200D0(_ _ _)R238 | | | | | |
| 220 | 2 3/8 AR | 200 | 10 | 38 | 51 | 72 | 94 | | | | | | | AEL 220D0(_ _ _)R238 | | | | | |
| 250 | 2 3/8 AR | 250 | 10 | 46 | 61 | 78 | 106 | | | | | | | AEL 250D0(_ _ _)R238 | | | | | |
| 140 | 1000 - 3000 | 90 | 2 7/8 AR | 150 | 10 | 30 | 65 | 40 | 20 | 111 | 30 | | | 38 | 47 | 64 | | | |
| 150 | | | 2 7/8 AR | 150 | 10 | | | | | | 33 | 43 | 52 | 70 | | | | | AEL 150D0(_ _ _)R278 |
| 160 | | | 2 7/8 AR | 150 | 10 | | | | | | 35 | 45 | 55 | 74 | | | | | AEL 160D0(_ _ _)R278 |
| 180 | | | 2 7/8 AR | 200 | 10 | | | | | | 33 | 42 | 52 | 75 | | | | | AEL 180D0(_ _ _)R278 |
| 200 | | | 2 7/8 AR | 200 | 10 | | | | | | 35 | 45 | 64 | 82 | | | | | AEL 200D0(_ _ _)R278 |
| 220 | | | 2 7/8 AR | 200 | 10 | | | | | | 38 | 51 | 72 | 94 | | | | | AEL 220D0(_ _ _)R278 |
| 250 | | | 2 7/8 AR | 250 | 10 | | | | | | 46 | 61 | 78 | 106 | | | | | AEL 250D0(_ _ _)R278 |

| | | | | | | | | | | | | | | | | | | | |
|-----|-------------|----|----------|-----|----|----|----|----|----|-----|----|----|----|-----|--|--|--|--|---------------------|
| 140 | 1000 - 3000 | 90 | 2 3/8 IF | 150 | 10 | 40 | 65 | 40 | 20 | 111 | 30 | 38 | 47 | 64 | | | | | AEL 140D0(____)F238 |
| 150 | | | 2 3/8 IF | 150 | 10 | | | | | | 33 | 43 | 52 | 70 | | | | | AEL 150D0(____)F238 |
| 160 | | | 2 3/8 IF | 150 | 10 | | | | | | 35 | 45 | 55 | 74 | | | | | AEL 160D0(____)F238 |
| 180 | | | 2 3/8 IF | 200 | 10 | | | | | | 33 | 42 | 52 | 75 | | | | | AEL 180D0(____)F238 |
| 200 | | | 2 3/8 IF | 200 | 10 | | | | | | 35 | 45 | 64 | 82 | | | | | AEL 200D0(____)F238 |
| 220 | | | 2 3/8 IF | 200 | 10 | | | | | | 38 | 51 | 72 | 94 | | | | | AEL 220D0(____)F238 |
| 250 | | | 2 3/8 IF | 250 | 10 | | | | | | 46 | 61 | 78 | 106 | | | | | AEL 250D0(____)F238 |

| | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

ASTE ELICOIDALI CON FIL. API

| A (mm) | L (mm) | B (mm) | FIL | D (mm) | I (mm) | C (mm) | H (mm) | E (mm) | F (mm) | G (mm) | PESO St=8 (Kg) | | | | PESO St=8,8 (Kg) | | | | CODICE |
|-----------|-------------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------------------|------|------|------|---------------------|------|------|------|---------------------|
| | | | | | | | | | | | L | | | | L | | | | |
| | | | | | | | | | | | 1000 | 1500 | 2000 | 3000 | 1000 | 1500 | 2000 | 3000 | |
| 200 | 1000 - 3000 | 114 | 3 1/2 AR | 200 | 10 | | | | | | 36 | 45 | 60 | 90 | | | | | AEL 200F4(____)R312 |
| 220 | | | | | | | | | | | 45 | 56 | 70 | 100 | | | | | AEL 220F4(____)R312 |
| 250 | | | | | | | | | | | 50 | 70 | 91 | 133 | | | | | AEL 250F4(____)R312 |